

## قائمة الأدوية غير الوصفية – يونيو 2026

Trade Name	Active	Dosage form	Strength	Approved Indication
Nerhafluks 20 mg	Famotidine	Oro-dispersible Film	20 mg	Treatment of conditions where a controlled reduction of gastric acid secretion is required, such as acid indigestion, heartburn, sour or upset stomach in adults
Rani-F	Famotidine	Effervescent granules	0.02 gm	Relief of heartburn in adults $\geq 18$ years.
Novapantolix 20 mg	PANTOPRAZOLE Sodium sesquihydrate micronized (D90 NMT 30 Micron) 22.556 mg equivalent to PANTOPRAZOLE	Delayed Release Tablets	20 mg	Symptomatic Gastroesophageal reflux disease in adults $\geq 18$ years of age. مصحوب الأعراض على سبيل المثال الحموضة (حرقة الفؤاد)، ارتجاع الحمض، ألم عند البلع. بمرض الارتجاع المعدي المريئي الناجم عن ارتجاع الحمض من المعدة.
Delpanto 20 mg	Pantoprazole sesquihydrate 22.55 mg equivalent to Pantoprazole 20 mg	Enteric Film Coated Tablet	20 mg	Treatment of symptoms associated with mild reflux disease (heartburn, acid regurgitation, pain on swallowing) in adults $\geq 18$ years of age
Controloc 20 mg	Pantoprazole Sodium sesquihydrate 22.57 mg Eq. to Pantoprazole	Gastro resistant tablet	20 mg	Indicated in adults $\geq 18$ years of age for short term treatment of symptoms (e.g. heart burn, acid regurgitation, pain on swallowing) associated with gastro-esophageal reflux disease caused by reflux of acid from the stomach
Antopral 20 mg	Pantoprazole	Gastro-resistant Coated Tablets	20 mg	Short term treatment of reflux symptoms (e.g. heart burn, acid regurgitation) in adults $\geq 18$ years.
Delpanto 20 mg	Pantoprazole	Enteric Film Coated Tablet	20 mg	Treatment of symptoms associated with mild reflux disease (heartburn, acid regurgitation, pain on swallowing) in adults $\geq 18$ years of age

Trade Name	Active	Dosage form	Strength	Approved Indication
Perloc 20 mg	Pantoprazole	Delayed Release Enteric Coated Tablets	20 mg	Treatment of associated symptoms with mild reflux disease such as heartburn, acid regurgitation and pain on swallowing in adults $\geq 18$ years of age.
Healsec 20 mg	Omeprazole	Hard gelatin capsules containing enteric coated pellets	20 mg	Treatment of symptomatic gastro-esophageal reflux disease in adults. مرض ارتجاع المريء حيث يهرب الحمض من المعدة إلى المريء (الأنبوب الذي يربط الحلق بالمعدة) مما يسبب الألم والالتهاب وحرقة المعدة
Napizole 20 mg	Omeprazole	Hard gelatin capsules containing enteric coated pellets	20 mg	Treat symptoms of reflux disease in adults $\geq 18$ years. Reflux can cause a burning sensation in the chest rising up to the throat, also known as heartburn.
Nexicure 20 mg	Esomeprazole Magnesium Trihydrate Pellets (22.5%) 98.71 mg equivalent to Esomeprazole	Film Coated tablets	20 mg	Gastroesophageal reflux disease" (GERD). This is where acid from the stomach escapes into the gullet (the tube which connects your throat to your stomach) causing pain, inflammation and heartburn in adults $\geq 18$ years. مرض ارتجاع معدي مريئي (جيرد). هذا هو المكان الذي يهرب فيه حمض المعدة إلى المريء (الأنبوب الذي يربط حلقك بمعدتك) مسبباً الألم والالتهاب وحرقة المعدة في البالغين $\leq 18$ عام
Nexicure 20 mg	Esomeprazole Magnesium Trihydrate 22.3 mg equivalent to Esomeprazole	Enteric Coated Granules for delayed release oral suspension	20 mg	Treatment of heart burn and other symptoms that happen with gastroesophageal reflux disease (GERD) in adults $\geq 18$ years
Esomeprazole -Eva Pharma	Esomeprazole	Enteric Coated Tablet	20 mg	Indicated where reduction of gastric acid secretion is required in non-erosive reflux disease (i.e. heartburn and regurgitation) in adults (18 years of age and over)
Esomeprazole Eva Pharma 20 mg	Esomeprazole	Delayed Release Granules for Oral Suspension	20 mg	Short term treatment of heartburn and other symptoms and other symptoms associated with GERD in adults $\geq 18$ years of age

Trade Name	Active	Dosage form	Strength	Approved Indication
Maalox stomach pain	Aluminum Hydroxide 460 mg equivalent to Aluminum Oxide 230 mg /Magnesium Hydroxide 400 mg	Oral suspension	460 mg / 400 mg / 4.3 ml	Used to relieve heartburn and reflux of stomach acid for adults and adolescents from 15 years of age
Maalox stomach pain	Magnesium Hydroxide /Aluminium Hydroxide 3.5 gm corresponding to Aluminium Oxide 2.3 gm	Oral suspension	4 gm /3.5 gm / 100 ml	Used to relieve heartburn and reflux of stomach acid for adults and adolescents from 15 years of age
Maalox Plus ®	Aluminum Hydroxide 175 mg equivalent to Aluminium Oxide 115 mg/Simethicone/Magnesium Hydroxide as Magnesium hydroxide paste	Oral suspension	175 mg / 25 mg / 200 mg / 5 ml	Symptomatic relief of dyspepsia, heartburn and flatulence in adults ≥ 18 years of age
Fritzu	Aluminum Hydroxide /Magnesium Hydroxide	Oral Suspension	460 mg/400 mg	As in insert leaflet in adults and adolescents over 15 years of age.
Gaviscon Double Action Liquid	Sodium Alginate/Sodium Hydrogen Carbonate / Calcium Carbonate	Oral suspension in bottle	500 mg/213 mg/325 mg	As in insert leaflet in adults and children 12 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Gaviscon Double Action Liquid sachets	Calcium Carbonate /Sodium Alginate/Sodium Bicarbonate	Oral Suspension in sachets	325 mg/500mg/213 mg	As in insert leaflet in adults and children 12 years and over
Rasecasec	Racecadotril	Hard Gelatin Capsules	100 mg	Symptomatic Treatment of acute diarrhea in adults
Imodium Instants	Loperamide Hydrochloride	Oro-dispersible tablets	2 mg	Treatment of sudden short lived (acute) attacks of diarrhea in adults and children aged 12 years and over
Lactulose HEK	Lactulose	Oral syrup	67 g / 100 ml	Treatment of chronic constipation in adults, adolescents, children and infants
Duphalac®	Lactulose	Syrup	667 mg / ml	Constipation, to regulate the physiological rhythm of the colon when the aim is to achieve a soft stool in adults, adolescents, children and infants
Rawsmooth	Ispaghula Seed Powder/Tinnevelly Senna Pods Powder /Ispaghula Husk Powder	Granules in sachets	2.6 gm /500 mg/110 mg	As in insert leaflet in adults and children over 12 years of age
Eucarbon®	Senna folium/Rhei radix / Wood Charcoal / Sulfur	Tablets	105 mg / 13.75 mg - 24.75 mg / 180 mg / 50 mg	Indicated in adults and children over 12 years of age in treatment of: Occasional and hemorrhoidal constipation. Flatulence
DR OXYGEN Laxotopia	Ispaghula Husk Dry (Psyllium husk) Powder /Psyllium Seed Dry Powder /Tinnevelly Senna Fruit Powder (Cassia angustifolia Vahl.)	Granules in Sachets	110 mg/2600 mg/500 mg	For short term use in cases of occasional constipation in adults and children over 12 years of age
Egycusate	Docusate Sodium	Oral Syrup	20 mg / 5 ml	For gentle reliable relief from occasional constipation in adults and pediatric 6 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Minalax®	Docusate Sodium/Sodium Benzoate/Bisacodyl	Enteric Coated Tablet	100 mg/17.6 mg/5mg	Short term treatment of constipation in adults $\geq$ 18 years of age
Mebefac	Mebeverine Hydrochloride	Sustained Release Film Coated Tablets	200 mg	As in insert leaflet in adults $\geq$ 18 years of age
Duspatalin Retard	Mebeverine Hydrochloride	Modified release capsules	200 mg	Symptomatic treatment of abdominal pain and cramps, bowel disturbances and intestinal discomfort related to irritable bowel syndrome in adults and children over 12 years of age
Spasmomen	Otilonium Bromide	Film Coated Tablets	40 mg	As in insert leaflet in adults $\geq$ 18 years of age.
Alverinospasm	Alverine Citrate /Simethicone	Soft Gelatin Capsules	60 mg / 300 mg	As in insert leaflet in patients $\geq$ 18 years of age.
Buscopan®	Hyoscine – N – Butyl Bromide	Sugar Coated Tablets	10 mg	As in insert leaflet in adults and children aged 6 years and over
Spasulance	Simethicone	Oro-dispersible film	62.5 mg	As in insert leaflet in adults and children over 12 years of age
Flaticon	Simethicone	Oral Strip	62.5 mg	Symptomatic relief of pressure, bloating and fullness commonly referred as gas (flatulence) in adults and adolescents over 12 years of age
Simethicone emulsion USP 42	Simethicone (Emulsion 30%) 66.68 mg as (Simethicone	Oral drops	20 mg / 1 ml	Antiflatulent for the relief of gripping pain, colic or wind in infants
Nanagripycol	Simethicone	Oral suspension	21 mg	Management of infant colic in infants
Nono Water	Dill seed oil / Caraway seed oil /Sodium bicarbonate	Syrup	2.25 mg /2.5 mg/50 mg	As in insert leaflet in children 6 months and over
Free Baby	Caraway Oil/Dill Oil/Sodium Bicarbonate	Syrup	5 mg/5 mg/50 mg	As in insert leaflet in children 6 months and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Pharofruit	Citric Acid Anhydrous/Sodium Bicarbonate /Tartaric acid	Effervescent Granules	1.102 gm /2.65gm /1.202 gm/ 5 gm	Helps to relief heartburn, acid indigestion and sour stomach in adults $\geq$ 18 years of age
Fawar Lemon	Sodium Bicarbonate /Tartaric Acid / Citric Acid Anhydrous	Effervescent granules for oral solution	2.8 gm/1.33 gm/0.82 gm	As in insert leaflet in adults and children aged 12 years and over
Fawar Cola	Sodium Bicarbonate/Tartaric Acid Anhydrous /Citric Acid Anhydrous	Effervescent Granules for oral solution	2.522 gm/1.41 gm/0.87 gm	As in insert leaflet in adults and children aged 12 years and over
Fawar Fawakeh	Sodium Bicarbonate/Tartaric Acid Anhydrous / Citric Acid Anhydrous	Effervescent Granules for oral solution	2.6131 gm/1.0377 gm/0.3317 gm	As in insert leaflet in adults and children aged 12 years and over
Digestin	Papain* (6000 USP units / mg)/Sanzym SP 3500	Film Coated Tablets	100 mg / 30 mg	Mal digestion in case of pancreatic enzyme deficiency in adults $\geq$ 18 years of age
Spasmodigestin	Dicyclomine HCl / Papain (600000 IU) / Sanzym SP 3500 (1500 IU) /Sodium Dehydrocholate /Simethicone	Enteric Coated Tablets	5 mg / 100 mg / 36 mg/10 mg/30 mg	Indicated in adults $\geq$ 18 years of age in: Maldigestion in case of pancreatic enzyme deficiency. Relief of flatulence and abdominal discomfort due to excess gastrointestinal gas disorders such as dyspepsia, gastro-esophageal reflux disease, and for many gastrointestinal disorders

Trade Name	Active	Dosage form	Strength	Approved Indication
Digenorm	Papain 6000 I.U/Pepsin (1:15000)/Sanzyme SP 3500	Syrup	80 mg /8 mg / 12 mg / 5 ml	Adjunct treatment in functional indigestion due to digestive enzyme deficiency or imbalance, with symptoms such as dyspepsia, postprandial discomfort, epigastric fullness and flatulence.in adults $\geq$ 18 years of age
Fawar Fruit	Citric Acid Anhydrous/Sodium Bicarbonate / Tartaric Acid	Effervescent Granules	0.82 gm/2.8 gm/1.33 gm	As in insert leaflet in adults and children aged 12 years and over
Trimcopent	Triamcinolone Acetonide Micronized	Metered Nasal Spray	55 mcg/spray	Treatment of symptoms of perennial allergic rhinitis in adults $\geq$ 18 years of age
Flixonase	Fluticasone Propionate micronized	Nasal Spray	0.05 mg	Treatment of perennial rhinitis in adults $\geq$ 18 years of age
Ticanase	Fluticasone Propionate (D90 NMT 45 $\mu$ m)	Nasal Spray	50 mcg	Treatment of perennial allergic rhinitis in adults $\geq$ 18 years of age.
Avamys	Fluticasone Furoate micronized	Nasal Spray	27.5 mcg	علاج أعراض التهاب الأنف التحسسي الدائم بما في ذلك انسداد وسيلان أو حكة الأنف، أو العطس أو دماغ العين أو احمرارها أو حدوث حكة في البالغين $\leq$ 18 عام
Norhinose	Mometasone Furoate Monohydrate 0.052 mg equivalent to Mometasone Furoate	Nasal spray	0.05 mg	Treatment of symptoms of perennial rhinitis in adults $\geq$ 18 years of age
Rhinocort® Aqua 64 $\mu$ g	Budesonide	Nasal spray	64 mcg/dose	Relief of runny nose, nasal congestion, sneezing and /or itching in the nose caused by allergy in adults $\geq$ 18 years of age.
Otrivin 0.1%	Xylometazoline Hydrochloride	Nasal drops	1 mg / ml	For Various types of colds and to facilitate the outflow of secretions associated with inflammation of the sinuses in adults and adolescents aged 12 years or older

Trade Name	Active	Dosage form	Strength	Approved Indication
Otrivin 0.05%	Xylometazoline Hydrochloride	Nasal Drops	0.5 mg /1ml	For Various types of colds and to facilitate the outflow of secretions associated with inflammation of the sinuses in children aged between 6 years and 11 years
Otrivin 0.1%	Xylometazoline Hydrochloride	Adult Nasal Spray	0.10%	As in insert leaflet in adults and children over 12 years of age
Normifrin	Oxymetazoline HCl	Nasal spray	0.5 mg/1 ml	As in insert leaflet in adults and children over 12 years of age
Oxymet 0.05%	Oxymetazoline HCl	Nasal Drops	0.5 mg/1 ml	علاج قصير الأمد لاحتقان الأنف أثناء نزلات البرد والتهاب الجيوب الأنفية الحاد في البالغين والأطفال فوق 12 عام.
Oxymet 0.025%	Oxymetazoline HCl	Nasal Drops	0.25 mg /1 ml	علاج قصير الأمد لاحتقان الأنف أثناء نزلات البرد والتهاب الجيوب الأنفية الحاد في الأطفال الذين تتراوح أعمارهم بين 2- 10 سنوات.
Otrivin Baby Saline	Sodium Chloride	Nasal Drops	7.4 mg / 1ml	As in insert leaflet.
Sinupret ® forte	Herbal Medication	Coated Tablets		In adults and adolescents $\geq 12$ years of age as following: -Herbal medicine for inflammations of paranasal sinuses. -Acute and chronic inflammations of the paranasal sinuses
Sinupret	Herbal Medication	Syrup		Treatment of acute and chronic inflammation of paranasal sinuses in adults and children $\geq 2$ years of age
Navoproxin	Meclizine Hydrochloride (micronized D90 < 20 $\mu$ m)	Rectal Suppositories	50 mg	Indicated in motion sickness in adults and adolescents aged 12 years and over.
Meclizigo	Meclizine hydrochloride	Oral dissolvable film	25 mg	As in insert leaflet in adults and children 12 years of age and over
Navoproxin Plus	Meclizine Hydrochloride / Pyridoxin Hydrochloride (vitamin B6)	Tablets	25 mg/50 mg	Prevents and treats nausea, vomiting or dizziness associated with motion sickness in adults and children 12 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Levohistam	Levocetirizine Dihydrochloride	Film Coated Tablets	5 mg	Symptomatic treatment of allergic rhinitis in adults and children aged 6 years and above
Xaltec	Levocetirizine Dihydrochloride	Tablets	5 mg	Symptomatic treatment of allergic rhinitis in adults and children 6 years of age and older
Levohistam	Levocetirizine Dihydrochloride	Syrup	5mg/10ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above
Levohistam	Levocetirizine Dihydrochloride	Oral drops	5mg/1ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above.
Xaltec	Levocetirizine Hydrochloride 0.5 mg (equivalent to Levocetirizine base 0.42 mg)	Oral Solution	0.5 mg / ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above
Lergicare 5 mg / ml	Levocetirizine Dihydrochloride	Oral Drops, Solution	5 mg / 1ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above
Lergicare	Levocetirizine Dihydrochloride	Oral Solution	2.5 mg / 5 ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above
Lergicare	Levocetirizine Dihydrochloride	Film Coated Tablets	5 mg	Symptomatic treatment of allergic rhinitis in adults and children aged 6 years and above
Levoctivan	Levocetirizine Dihydrochloride	Film Coated Tablets	5 mg	Relief of symptoms associated with perennial allergic rhinitis in adults and children 12 years of age and over
Levoctivan	Levocetirizine Dihydrochloride	Oral Solution	2.5 mg/5 ml	Relief of symptoms associated with perennial allergic rhinitis in adults and children above 2 years
Levcet	Levocetirizine Dihydrochloride	Melt in mouth tablets	5 mg	Symptomatic treatment of allergic rhinitis in adults and children aged 6 years and older
Levcet®	Levocetirizine Dihydrochloride	Oral solution	2.5 mg / 5 ml	Symptomatic treatment of allergic rhinitis in adults and children aged 2 years and above
Floracerta	Levocetirizine Dihydrochloride	Oro-dispersible Tablet	5 mg	Symptomatic treatment of allergic rhinitis in adults and children aged 6 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Histazine-1	Cetirizine dihydrochloride	Tablets	10 mg	For the relief of nasal and ocular symptoms of perennial allergic rhinitis in adults, adolescents and children aged 12 years and above
Histazine-1	Cetirizine dihydrochloride	Syrup	5 mg / 5 ml	يستخدم لتخفيف الأعراض وعدم الراحة الناجمين من الحساسية المستمرة طوال السنة مثل حساسية الأثرية أو الحيوانات الأليفة (حساسية الأنف الدائمة)، مثل العطس، تهيج، سيلان و انسداد الأنف، حكة واحمرار ودموع العين وذلك في البالغين والأطفال من عمر 6 أعوام فيما فوق. Symptomatic treatment of perennial rhinitis in adults and children aged 6 years and over
Zyretc 10 mg F.C. T	Cetirizine Dihydrochloride	Film Coated Tablets	10 mg	For the relief of nasal and ocular symptoms of seasonal and perennial allergic rhinitis in adults and children 6 years of age and over
Zyrtec	Cetirizine dihydrochloride	Oral Solution	1 mg / 1ml	For the relief of nasal and ocular symptoms of seasonal and perennial allergic rhinitis in adults and children 2 years of age and over
Zyrtec	Cetirizine dihydrochloride	Oral drops	10 mg / 1ml	Treatment of adults and children from 6 years of age for seasonal and perennial allergic rhinitis
Alerid	Cetirizine dihydrochloride	Film coated tablets	10 mg	Relief of nasal and ocular symptoms of seasonal and perennial allergic rhinitis in adults and children aged 12 years and above.
Claritine	Loratadine (micronized)	Chewable Tablets	5 mg	Temporarily relieves symptoms due to hay fever or other upper respiratory allergies in adults and children 2 years of age and over including the following: -Sneezing - Itchy watery eye -Runny nose -Itching of the nose or throat
Claritine Cool Mint	Loratadine (micronized)	Chewable Tablets	10 mg	Temporarily relieves symptoms due to hay fever or other upper respiratory allergies in adults and children 6 years of age and over including the following: -Sneezing - Itchy watery eye -Runny nose -Itching of the nose or throat
Claritine	Loratadine	Syrup	1 mg/ 1ml	Relief from hay fever and other seasonal allergy symptoms including sneezing, runny nose and itchy nose as well as itchy watery red burning eye in adults and children 2 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Claritine	Loratadine Micronized D90 ≤ 10 µm	Tablets	10 mg	Relieve symptoms associated with allergic rhinitis (for example, hay fever) such as sneezing, runny or itchy nose and burning or itchy eyes in adults and children over the age of 6 years with body weight > 30 Kg
Mosedin	Loratadine micronized	Tablets	10 mg	Symptomatic treatment of allergic rhinitis in adults and children over 12 years of age
Mosedin®	Loratadine (Micronized)	Oral Syrup	5 mg/5ml	Symptomatic treatment of allergic rhinitis in adults and children over 2 years of age
Deslorat	Desloratadine	Film coated tablets	5 mg	Indicated in adults and pediatrics aged 12 years and older for the relief of symptoms associated with allergic rhinitis.
DESA	Desloratadine	Film Coated Tablets	5 mg	Relief of symptoms associated with allergic rhinitis in adults and adolescents aged 12 years and older
Deslorat	Desloratadine	Syrup	2.5 mg / 5 ml	Relief of symptoms associated with allergic rhinitis in children ≥ 6 years of age.
Allerfen 120 mg	Fexofenadine Hydrochloride	Film Coated Tablets	120 mg	Relief of symptoms associated with seasonal allergic rhinitis in adults and children aged 12 years or older
Allerfen® 60 mg	Fexofenadine Hydrochloride	Film Coated Tablets	60 mg	Relief of symptoms associated with seasonal allergic rhinitis and allergic rhinitis in adults and children aged 12 years or older
Telfast 180 mg	Fexofenadine Hydrochloride	Film Coated Tablets	180 mg	Relief of symptoms associated with seasonal allergic rhinitis in adults and children 12 years of age or older
Telfast 120 mg	Fexofenadine Hydrochloride	Film Coated Tablets	120 mg	Relief of symptoms associated with seasonal allergic rhinitis in adults and children 12 years of age or older
Telfast	Fexofenadine Hydrochloride	Oral suspension	30 mg / 5 ml	Relief of symptoms associated with seasonal allergic rhinitis from 2 years of age.
Vanvast	Fexofenadine Hydrochloride	Oral Suspension	30 mg /5 ml	Relief of symptoms of perennial allergic rhinitis from 2 years of age
Allerfen180 mg	Fexofenadine Hydrochloride	Film Coated Tablets	180 mg	Relief of symptoms associated with seasonal allergic rhinitis and allergic rhinitis in adults and children aged 12 years or older
Fenistil	Dimethindene Maleate	Oral drops (Solution)	1 mg /1ml	In children over 3 years of age in: • Symptomatic treatment of upper respiratory tract allergies such as rhinitis. • Insect bites

Trade Name	Active	Dosage form	Strength	Approved Indication
Mosedin	Loratadine	Tablets	10 mg	Symptomatic treatment of allergic rhinitis in adults and children over 12 years of age
Bilastigec	Bilastine (D90 less than 80µm)	Tablets	20 mg	Relieve the symptoms of hay fever (sneezing, itchy, runny, blocked up nose and red and watery eyes) and other forms of allergic rhinitis in adults ≥ 18 years of age
Ebastine-Borg	Ebastine	Film Coated Tablets	10 mg	Symptomatic treatment of allergic rhinitis in adults ≥ 18 years of age.
Evastine	Ebastine	Film Coated Tablets	10 mg	Symptomatic treatment of allergic rhinitis (inflammation of nasal mucosa of allergic origin), seasonal or perennial in adults and children over 12 years of age
Abimol Extra	Paracetamol/Caffeine Anhydrous	Tablets	500 mg / 30 mg	As in insert leaflet in adults and children aged 12 years of age and over
Adol Extra	Paracetamol/Caffeine	Caplet	500 mg/65 mg	As in insert leaflet in adults and children aged 12 years and over
Arkadolow Cold and Flu	Paracetamol/Caffeine /Phenylephrine Hydrochloride	Film Coated Tablets	500 mg / 25 mg / 5 mg	As in insert leaflet in adults and children aged 16 years and over
Cetal Cold & Flu Day	Paracetamol DC 90 /Caffeine anhydrous /Phenylephrine Hydrochloride	Caplets	500 mg / 25 mg / 5 mg	As in insert leaflet in adults and children aged 16 years and over
Panadol Cold & Flu Day	Paracetamol /Caffeine/Phenylephrine Hydrochloride	Film Coated Tablets	500 mg /25 mg /5 mg	As in insert leaflet in adults and children aged 16 years and over.
Panadol Cold + Flu Vapour Release + Decongestant	Paracetamol /Phenylephrine Hydrochloride	Powder for Oral Solution	600 mg /10 mg	As in insert leaflet in adults and children aged 16 years and over
Panadol Sinus Relief PE	Paracetamol /Phenylephrine Hydrochloride	Tablets	500 mg /5 mg	As in insert leaflet in adults and children aged 12 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Flu-C	Chlorpheniramine Maleate/Paracetamol (microfined) /Caffeine Anhydrous/Ascorbic Acid (Vitamin C)	Powder for oral solution in sachets	4 mg / 500 mg/30 mg/500 mg	As in insert leaflet in adults $\geq$ 18 years of age
Flurest-N	Paracetamol /Phenylephrine Hydrochloride / Chlorpheniramine Maleate	Tablets	500 mg/5mg/2mg	As in insert leaflet in adults and children aged 12 years of age and over
Pentamolfin	Paracetamol/Diphenhydramine Hydrochloride /Phenylephrine Hydrochloride	Film coated tablet	325 mg / 12.5 mg/5 mg	As in insert leaflet in adults and children 12 years of age and over
Cold Control	Acetaminophen / Diphenhydramine Hydrochloride	Film Coated Tablets	500 mg / 12.5 mg	As in insert leaflet in adults and children 12 years of age and over.
Expaintech-PM	Paracetamol /Diphenhydramine Citrate	Tablets	500 mg / 38 mg	As in insert leaflet in adults and children 16 years of age and over
Stopadol Cold & Flu	Paracetamol /Guaifenesin /Phenylephrine Hydrochloride	Hard Gelatin Capsules	500 mg /100 mg /6.1 mg	As in insert leaflet in adults and children aged 16 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Utopiacold	Paracetamol/Diphenhydramine Hydrochloride / Phenylephrine Hydrochloride	Powder for oral solution	650 mg /25 mg/10 mg	As in insert leaflet in adults and children 12 years of age and over
G.C. Mol	Guaiifenesin /Ascorbic Acid (Vitamin C) /Paracetamol Micronized	Effervescent Granules	0.1 gm/0.25 gm/0.325 gm	As in insert leaflet in adults and children 6 years of age and over
Guamusin	Paracetamol Micronized/Guaifenesin/ Phenylephrine Hydrochloride	Powder for Oral solution	1000 mg /200 mg /12.2 mg	As in insert leaflet in adults and children 12 years of age and over
Ascozental	Paracetamol /Ascorbic Acid (Vitamin C)	Granules for Oral Suspension	500 mg /300 mg	As in insert leaflet in adults and Children from 12 years of age and weighing 40 Kg and over.
Bradozen	Domiphen Bromide	Lozenges	0.5 mg	Prevention of sore throat in adults and adolescents $\geq$ 12 years of age
Sedatuss	Cloperastine HCl	Oral Suspension	20 mg/5ml	Cough sedative in adults and children $\geq$ 2 years of age
Qulaperafen	L-Cloperastine Fendizoate micronized 708 mg (D90 less than 50 micron) Eq. to Cloperastine HCl	Oral suspension	400 mg	Cough suppressant for dry cough in adults and children 2 years of age and over
Sinecod	Butamirate Citrate	Oral Syrup	0.15% W/V	As in insert leaflet in adults and children 3 years of age and over
Tussistop	Levodropropizine	Syrup	30 mg/5ml	As in insert leaflet in adults and children 2 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Tussistop	Levodropropizine	Tablets	60 mg	Symptomatic treatment of cough in adults and children 12 years of age and over.
Omegacough	Levodropropizine	Syrup	30 mg/5ml	As in insert leaflet in adults and children 7 years of age and over
Guava Trix	Guava leaves aqueous extract /Tilia flower aqueous extract/Eucalyptus Leaves aqueous extract	Syrup	0.458 gm/0.115 gm/0.015 gm /5ml	Treatment of cough (Mucolytic, antitussive, expectorant) in adults and adolescents $\geq$ 12 years of age
Ivyronc	Ivy leaf extract powder (Hedera helix L)	Syrup	36 mg / 5 ml	As in insert leaflet in adults and children 6 years of age and over
DR OXYGEN Monohexal	Dried Ivy leaf powder extract Hedera helix L.	Syrup	45 mg / 5 ml	As in insert leaflet in adults and children 2 years of age and over
Hedivect	Ivy dry leaves extract (Hedera Helix L.)	Tablets	25 mg	As in insert leaflet in adults and children 9 years of age and over
Dr Oxygen Monohexal	Dried Ivy leaves powder extract Hedera helix L.	Syrup	45 mg	As in insert leaflet in adults and children 2 years of age and over.
Ivyrospan	Dried Ivy leaf extract	Syrup	35 mg / 5ml	As in insert leaflet in adults and children 2 years of age and over.
DR OXYGEN Monohexal	Ivy leaf dry extract (Hedra helix L.)	Lozenges	26 mg	As in insert leaflet in adults and children 4 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Premherb	Pelargonium Root Dry Extract	Film Coated Tablets	20 mg	Herbal medicine product for the symptomatic treatment of common cold, such as blocked nose, sore throat and cough in adults and children 6 years of age and older
Premherb	Pelargonium root dry extract	Syrup	12.53 mg / 5 ml	Symptomatic treatment of common cold in adults and children 6 years of age and older
Alkaline Wash (SAP)	Sodium Chloride/Sodium Bicarbonate /Borax	Sachet	2 gm/2gm/2 gm / 6 gm	Nose & Throat in adults $\geq$ 18 years: As nasal wash to dissolve mucus. As mouth wash in inflammation of throat associated with dental problems and aphthous ulcers
Ambropro	Ambroxol HCl	Lozenges	21 mg	Relief from acute sore throat in adults and children 12 years of age and over
Windy 600 mg	Acetylcysteine	Oral Granules	600 mg	As in insert leaflet in adults and adolescents over 12 years of age
Mucobrave	Acetylcysteine	Granules for Oral Solution	600 mg	Mucolytic therapy in conditions associated with thick mucus hypersecretion in adults $\geq$ 18 years of age.
Brufen 400 mg	Ibuprofen	Sugar Coated Tablets	400 mg	Toothache, dysmenorrhea and treatment of fever in adults $\geq$ 18 years
Flabu 400 mg	Ibuprofen (D90 < 30 $\mu$ m)	Film Coated Tablets	400 mg	Short term symptomatic treatment of mild to moderate pain, such as headache including migraine headache, dental pain, primary dysmenorrhea and fever in adults and adolescents $\geq$ 40 Kg body weight (12 years of age and above
Ibuprofen-EVA PHARMA 200 mg	Ibuprofen	Soft Gelatin Capsules	200 mg	Short term treatment of mild to moderate pain such as headache, dental pain, period pain, muscular strain and migraine and fever& management of symptoms of head colds and influenza in adults and children 12 years of age and over
Brufen 200 mg	Ibuprofen	Sugar Coated Tablets	200 mg	Toothache, dysmenorrhea and treatment of fever in adults $\geq$ 18 years for a period that doesn't exceed 4 days

Trade Name	Active	Dosage form	Strength	Approved Indication
Ibuprofen-EVA PHARMA 400 mg	Ibuprofen	Soft Gelatin Capsules	400 mg	Indicated in adults and adolescents from $\geq 40$ Kg (12 years of age and above) for the symptomatic relief of mild to moderate pain such as headache, migraine, muscular pain, period pain/dysmenorrhea, feverishness and pain associated with common cold
Spididol	Ibuprofen (as Arginine salt)	Granules for oral solution in sachets	400 mg	Treatment of symptoms of headache, toothache, muscular pain and dysmenorrhea. Fever and pain in diseases as common cold. In adults and children over 12 years of age
Megafen	Ibuprofen/Paracetamol	Tablets	200 mg / 325 mg	As in insert leaflet in adults $\geq 18$ years of age
Cetafen 200 / 500 mg	Ibuprofen/Paracetamol	Film Coated Tablets	200 mg/500 mg	As in insert leaflet in adults $\geq 18$ years of age
Megafen N	Ibuprofen	Oral Suspension	100 mg / 5 ml	Symptomatic treatment of fever and mild to moderate pain in children $\geq 6$ months of age for short term not exceeding 3 days
Cetafen Plus N	Paracetamol/Ibuprofen/Caffeine	Film Coated Tablets	500 mg / 200 mg/65 mg	As in insert leaflet in adults $\geq 18$ years of age
Brufen	Ibuprofen	Oral syrup	100 mg / 5 ml	Relief of mild to moderate pain and treatment of pyrexia in pediatrics $\geq 6$ months of age for short term not exceeding 4 days
Cetafen-N 100 mg / 5 ml	Ibuprofen	Oral Suspension	100 mg / 5 ml	Analgesic for relief of mild to moderate muscular pain, post immunization pyrexia, symptomatic relief of headache, earache, dental pain and backache, relief of feverishness and symptoms of cold and influenza in pediatrics $\geq 6$ months of age for short term not exceeding 3 days
Flabu	Ibuprofen	Oral drops	40 mg / ml	As in insert leaflet in children $\geq 6$ months of age to 3 years of age.
Fastum 2.5% gel	Ketoprofen	Topical gel	2.5 g /100 g	As in insert leaflet in adults $\geq 18$ years of age
Ketolgin®	Ketoprofen	Topical gel	25 mg / 1gm	As in insert leaflet in adults $\geq 18$ years of age
Ketofan	Ketoprofen	Topical Gel	2.5 gm /100 gm	As in insert leaflet in adults $\geq 18$ years of age

Trade Name	Active	Dosage form	Strength	Approved Indication
Cetal® 500 mg	Paracetamol D.C. 90 (NLT 85% retained on mesh size 100) 555.56 mg equivalent to Paracetamol	Tablets	500 mg	As in insert leaflet in adults and children 10 years of age and over.
Abimol 500 mg	594 mg of Panagran Granules – Paracetamol 84.18% DC granules which contains: Paracetamol	Tablets	500 mg	As in insert leaflet in adults and children 12 years of age and over
Stopadol	Paracetamol	Caplet	500 mg	As a mild analgesic and antipyretic, and is recommended for the alleviation of most painful and febrile conditions, for example, headache including migraine and tension headaches, toothache, backache, dysmenorrhea, sore throat, and for relieving the fever, aches and pains of colds and flu. - in age group Adults and children aged 10 years and over.
Stopadol 1000 mg	Paracetamol	Tablets	1000 mg	Analgesic and antipyretic for treatment of most painful and febrile conditions, for example, headache including migraine and tension headaches, toothache, backache, rheumatic and muscle pains, dysmenorrhea, sore throat, and for relieving the fever, aches and pains of colds and flu in adults and children 16 years of age and over
Panadol Advance	Paracetamol	Film Coated Tablets	500 mg	Mild analgesic and antipyretic for short term management of headaches, musculoskeletal disorders, menstrual pain, toothache and for symptoms of common colds and flu in adults and children 10 years of age and over
Paragesic	Paracetamol	Tablets	500 mg	Mild analgesic and antipyretic recommended for treatment of painful and febrile conditions, for example, headache including migraine, tension headaches, toothache, backache, dysmenorrhea, sore throat and for relieving fever, aches and pains of colds and flu in adults and children aged 10 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Nopyretron	Paracetamol (micronized)	Oral dissolvable film	125 mg	As in insert leaflet in children aged 6 months of age to 12 years of age
Panadol baby & infant	Paracetamol	Oral suspension	120 mg / 5 ml	As in insert leaflet in adults and children 2 months of age and over (weighing more than 4 Kg and born after 37 weeks (.
Cetal 300 mg	Paracetamol (Micronized)	Rectal Suppositories	300 mg	As in insert leaflet in children weighing between 14 Kg and 28 Kg (Approximately 2 to 9 years of age).
Paragesic	Paracetamol	Rectal suppositories	500 mg	Management of pain and fever associated with conditions as influenza, common cold and headache in adults and children 6 years of age and over
Cetal	Paracetamol Microfined (D90 NMT 45 µm)	Oral drops	100 mg / 1 ml	As in insert leaflet in birth to 24 months of age (3.2 Kg – 12 Kg).
Cetal	Paracetamol microfined D90 NMT 45 ug	Oral suspension	250 mg / 5 ml	As in insert leaflet in adults and children 2 months of age and over (weighing more than 4 Kg and born after 37 weeks
Paragesic Forte	Paracetamol 90% directly compressible (Equivalent to 1000 mg Paracetamol	Tablets	1000 mg	As in insert leaflet in adults ≥ 18 years
Arkadolow 100 mg / ml	Paracetamol	Oral Drops, Solution	100 mg/ 1 ml	Symptomatic treatment of fever and mild to moderate pain in children weighing 3 – 32 Kg (0 – 10 years of age)
Arkadolow 250 mg / 5 ml	Paracetamol	Oral suspension	250 mg / 5 ml	As in insert leaflet in adults and children aged 6 years of age and over
Mashparadol	Paracetamol	Tablets	1000 mg	As in insert leaflet in adults and adolescents aged 15 years and older
Cetal 1000 mg	Paracetamol D.C 1111.1 mg equivalent to Paracetamol	Tablets	1000 mg	As in insert leaflet in adults and children 16 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Doliprane	Paracetamol	Tablets	1000 mg	As in insert leaflet in adults 18 years of age and above
Stopadol Forte	Paracetamol	Effervescence Powder	1 gm	Symptomatic treatment of moderate intensity pain, such as musculoskeletal pain, headache, dental pain or dysmenorrhea and in Febrile states in adults and children over 15 years
Arkadolow 500 mg	Paracetamol	Film Coated Tablets	500 mg	Short term management of headaches, musculoskeletal disorders, menstrual pains, toothache and for symptoms of common colds and flu in adults and children aged 10 years and over
Arkadolow 1000 mg	Paracetamol	Tablets	1000 mg	Symptomatic treatment of clinical conditions requiring an analgesic and or antipyretic such as: Symptoms associated with flu like conditions, fever, hyperegic reactions to vaccination, mild to moderate headaches, migraines with prior medical diagnosis, toothaches, earaches and dysmenorrhea in adults aged 18 years or older
Arkadolow 250 mg / 5 ml	Paracetamol	Oral suspension	250 mg / 5 ml	As in insert leaflet in adults and children aged 6 years of age and over
Temporal	Paracetamol Micronized	Tablets	1000 mg	As in insert leaflet in adults and adolescents aged 16 years or over or weighing more than 50 Kg.
Paragesic	Paracetamol	Oral drops	100 mg / 1 ml	Antipyretic for febrile diseases such as influenza and analgesic for headaches, myalgia and painful events of medium severity in children weighing between 3.2 Kg and 11 Kg
Paragesic Baby	Paracetamol	Oral suspension	120 mg / 5 ml	As in insert leaflet in children aged 2 months, weighing more than 4 Kg and was born after 37 weeks & children 6 years of age.
Temporal	Paracetamol	Oral suspension	250 mg/5 ml	As in insert leaflet in children aged 3 months and older.
Paragesic 250 mg / 5 ml	Pracetamol (micronized)	Oral suspension	250 mg / 5 ml	As in insert leaflet in adults and children aged 6 years of age and over
Fevano	Paracetamol	Syrup	200 mg/5ml	As in insert leaflet in adults, adolescents, children and infants older than 3 months of age
Stopadol Extra	Paracetamol / Caffeine Anhydrous	Film Coated Tablets	500 mg / 65 mg	As in insert leaflet in adults and children 12 years of age and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Arkadolow Extra	Paracetamol /Caffeine Anhydrous	Film Coated Tablets	500 mg / 65 mg	As in insert leaflet in adults and Children aged 12 years of age and over
Para – Xenos Plus	Paracetamol/Caffeine anhydrous	Effervescent Granules	500 mg / 65 mg	Mild analgesic and antipyretic formulated to give extra pain relief for treatment of painful and febrile conditions as headache including migraine, backache, toothache, colds and influenza, sore throat and dysmenorrhea in adults and children 12 years of age and over
Panadol Migraine	Acetaminophen/ Aspirin/Caffeine	Film Coated Tablets	250 mg /250 mg/65 mg	Temporarily relieves migraine headache and minor aches and pains due to headache, a cold, arthritis, muscular aches, sinusitis, toothache and premenstrual/ menstrual cramps in adults and children 12 years and over
Nercafix	Caffeine anhydrous	Oro-dispersible Film	40 mg	As in insert leaflet in adults (Not for under 16 years of age)
Stopadol Night	Paracetamol /Diphenhydramine Hydrochloride	Film Coated Tablets	500 mg /25 mg	As in insert leaflet in adults and children aged 16 years of age and over
Jakmeston	Acetaminophen / Pamabrom	Film Coated Tablets	500 mg / 25 mg	As in insert leaflet in adults and children 18 years of age and over
Stopadol Woman	Paracetamol /Pamabrom /Pyrilamine maleate	Film coated caplets	500 mg /25 mg/15 mg	As in insert leaflet in adults and children 12 years and over.
Libradiclan	Diclofenac Sodium	Medicated Plaster	140 mg	As in insert leaflet in adults and adolescents from 16 years of age.
Voltaren	Diclofenac Sodium	Topical Emulgel	1 gm /100 gm	For the external treatment of pain, inflammation and swelling in: -Injuries of the tendons, ligaments, muscles and joints e.g. sprains, bruises, strains, back pain and sport or accidents in adults and children from 12 years of age.
Dolphin	Diclofenac Sodium	Topical Gel	3 gm/100 gm	As in insert leaflet in adults $\geq$ 18 years
Declophen	Diclofenac Diethylamine 11.6 mg equivalent to Diclofenac sodium	Topical Gel	10 mg	As in insert leaflet in adults and adolescents aged 14 years and over

Trade Name	Active	Dosage form	Strength	Approved Indication
Diclopro	Diclofenac Epolamine 1.292 gm equivalent to Diclofenac Sodium	Topical gel	1 gm /100 gm	As in insert leaflet in adults and adolescents over 15 years of age
Flector EP	Diclofenac epolamine	Topical Gel	10 mg/1 gm	As in insert leaflet in adults and adolescents from 12 years
Libradiclan	Diclofenac Sodium	Medicated Plaster	140 mg	As in insert leaflet in adults and adolescents from 16 years of age
Aspricarlo	Acetylsalicylic Acid	Chewable Tablets	81 mg	As in insert leaflet in adults $\geq$ 18 years of age
Daktarin®	Miconazole Nitrate	Topical Cream	20 mg	علاج العدوى الجلدية الناتجة عن الفطريات الجلدية والخمائر في البالغين.
Daktarin®	Miconazole	Oral gel	20 mg / 1 gm	As in insert leaflet in adults and children aged 6 months of age and over
Daktacort®	Miconazole Nitrate / Hydrocortisone (micronized)	Topical Cream	20 mg / 10 mg	As in insert leaflet in adults $\geq$ 18 years
Kenzo	Ketoconazole	Shampoo	2 gm /100 gm	Prevention and treatment of dandruff in adults and adolescents aged over 12 years.
Menthor	Menthol /Camphor	Topical gel	3.5 gm/0.2 gm /100 gm	As in insert leaflet in adults and children 12 years of age and over.
Rheumatizen	Camphor /Menthol /Methyl Salicylate	Topical Cream	40 mg / 100 mg/300 mg	As in insert leaflet in adults and children 12 years of age and older
Moov Massage	Oleoresin Capsicum 35% /Camphor /Menthol /Methyl salicylate/Camphor Oil	Topical Cream	0.42 mg/12 mg/12.1 mg /4.8 mg/1.8 mg	As in insert leaflet in adults and children over 6 years of age

Trade Name	Active	Dosage form	Strength	Approved Indication
Algason	Diethylamine Salicylate/Camphor/Menthol	Massage Cream	0.1 gm/0.014 gm/0.025 gm	As in insert leaflet in adults and children over 6 years
Oracure	Lidocaine Hydrochloride /Cetyl Pyridinium Chloride	Oral Gel	20 mg / 1mg / 1 gm	For the rapid relief of pain caused by minor recurrent aphthous mouth ulcers in adults $\geq$ 18 years of age
B.B.C.®	Benzocaine/Benzydamine Hydrochloride /Cetalkonium Chloride	Spray Solution	15 mg /1.5 mg/0.413 mg / ml	Indicated in adults $\geq$ 18 years of age for the following: Symptomatic relief of sore throat pain. Locally acting analgesic and anti-inflammatory treatment for the throat and mouth. It is used to treat various oropharyngeal conditions such as mouth ulcers, sore throat, or gums, dental pain.
Contractubex	Allantoin/Heparin Sodium /CEPAE fluid extract	Topical gel	1 gm/5000 I.U/10 gm/100 gm	As in insert leaflet in adults and children 1 year of age or older.
Sodium Chloride 5% eye drops (B.P 2019)	Sodium Chloride	Ophthalmic Solution	50 mg/ml	As in insert leaflet in adults $\geq$ 18 years of age.
Hyfresh	Sodium Hyaluronate	Sterile Ophthalmic Solution	2 mg/ml	Symptomatic treatment of dry eye syndrome in adults $\geq$ 18 years of age
Systane™ Complete Lubricant eye drops	Propylene Glycol 6 mg Hydroxypropyl guar 8 A 1.5 mg and many inactive ingredients	Lubricant eye drops preservative free		Temporary relief of burning and irritation in persons experiencing dry eye symptoms in adults $\geq$ 18 years.

Trade Name	Active	Dosage form	Strength	Approved Indication
Systane Gel Dropa Lubricant Eye Gel	Propylene Glycol 0.3% w/v Hydroxypropyl guar 8 A (AL-12355, HP- BA) 0.7% w/v Polyethylene Glycol 400 0.4% w/v and many inactive ingredients	Systane Gel Dropa Lubricant Eye Gel 10 ml		Temporary relief of burning and irritation in persons experiencing dry eye symptoms in adults $\geq$ 18 years.
Systane	Sodium Hyaluronate /Polyethylene glycol 400 /Propylene glycol	Hydration Lubricant Eye Drops 10 ml	0.15 w/v% / 0.4 w/v%/0.3 w/v%	Temporary relief of burning and irritation in persons experiencing dry eye symptoms in adults $\geq$ 18 years.
Systane® Ultra	Polyethylene glycol 400 /Propylene glycol	Lubricant eye drops	0.4 w/v% / 0.3 w/v%	Temporary relief of burning and irritation in persons experiencing dry eye symptoms in adults $\geq$ 18 years.
Pharma tears	Carboxymethylcellulose Sodium	Ophthalmic Solution	5 mg / ml	As in insert leaflet in adults $\geq$ 18 years of age
Privacond	Tetrahydrozoline Hydrochloride /Polyvinyl Alcohol /Povidone	Ophthalmic Solution	0.5 mg /5mg/6 mg	As in insert leaflet in adults $\geq$ 18 years.
Brimillergy	Brimonidine Tartrate	Sterile ophthalmic solution	0.25 mg / 1 ml	Relieve redness of the eyes due to minor irritations such as environmental allergies, dryness and fatigue for adults $\geq$ 18 years
Melacryst	Melatonin 1.5 mg	Oro-dispersible film	1.5 mg	Short term treatment of jet – lag (not more than 5 days) in adults $\geq$ 18 years
Melacryst 3 mg	Melatonin	Oro-dispersible Film	3 mg	Short term treatment of jet – lag (not more than 5 days) in adults $\geq$ 18 years
BOLD STOP	Minoxidil	Topical Solution	5 gm /100 ml	Treatment of alopecia androgenetica in men aged 18 – 65 years

Trade Name	Active	Dosage form	Strength	Approved Indication
Minoxigrow	Minoxidil	Topical Foam	5 gm/100 ml	As in insert leaflet in men aged 18 -49 years and women aged 18-65
Performa Extra Strength	Minoxidil	Topical Aerosol Foam	50 mg/1 gm	Treatment of male and female androgenetic alopecia in adults aged 18 – 65 years of age
Performa Extra Strength 5%	Minoxidil	Topical Solution	5 gm /100 ml	Slowing of hair loss and regrowth of hair in alopecia androgenetica in adult men and women aged 18 – 65 years of age
Regaine 2%	Minoxidil	Topical Solution	20 mg / ml	Treatment of common hereditary hair loss in men and women aged 18 – 65 years
Regaine for men extra strength 5%	Minoxidil	Cutaneous Foam	50 mg / 1 gm	Treatment of common hereditary hair loss in men aged 18 – 49 years
Burnasores	Radix Scutellariae powder /Cortex Phellodendri powder/Rhizome Coptidis powder /Sesame oil (Sesamum indicum)/Peanut oil (Arachis oil) (Groundnut oil) Contains: $\beta$ -Sitosterol 0.25%	Topical Ointment	1.5 gm/1.5 gm/1 gm /80 gm/9 gm /100 gm	Treatment of the following in adults $\geq$ 18 years of age: First degree burns. Where the pain relief and the fast healing are remarkable e.g. Sun burn. Cracked heels and cracked nipples
Adapalene	Adapalene	Topical gel	1 mg / 1 gm	As in insert leaflet in patients $\geq$ 12 years of age
Marpalene	Adapalene	Topical cream	1 mg / 1 gm	As in insert leaflet in patients $\geq$ 12 years of age.
Betadine mouthwash and gargle 1% w/v	Povidone Iodine	Solution	1 gm / 100 ml	Indicated in adults and children $\geq$ 6 years of age: As antiseptic in case of infected inflammatory conditions of the mouth and pharynx including stomatitis, gingivitis, aphthous ulcers, pharyngitis, tonsillitis, monilial infections, common colds and influenza. Routine use to promote oral hygiene

Trade Name	Active	Dosage form	Strength	Approved Indication
Betadine vaginal douche	Povidone Iodine	Solution	10 gm /100 ml	Antiseptic in case of unspecific vaginitis, mixed vaginal infection, candidal vaginitis, trichomonal vaginitis in adults $\geq 18$ years of age.
Milga Advance	Benfotiamine / Cyanocobalamin/ Pyridoxin	Film Coated Tablets	300 mg/0.25 mg/100 mg	Support the body in case of vitamin B deficiency in adults $\geq 18$ years of age
Vixaport	Benfotiamine/Pyridoxin/Cyanocobalamin (vitamin B12)	Film Coated Tablets	300 mg/100 mg/0.25 mg	Support the body in case of vitamin B12 deficiency in adults $\geq 18$ years of age
Neurovit	Thiamine Hydrochloride /Pyridoxin Hydrochloride /Cyanocobalamin	Sugar Coated Tablets	250 mg/100 mg/250 mcg	For supportive treatment of neuritis in adults $\geq 18$ years
Marvit	Multivitamin	Soft Gelatin Capsules		As nutritional adjunct where the intake of vitamins and minerals is suboptimal in adults $\geq 18$ years.
Marvit	Multivitamin	Oral Syrup		As nutritional adjunct where the intake of vitamins and minerals is suboptimal in ages $\geq 6$ months to 2 years of age.
Methyltechno	Methylcobalamin	Oral dissolvable film	1000 mcg	يستخدم في حالات نقص التغذية كما في حالات المسنين والنباتيين وذلك في البالغين $\leq 18$ عام
Deltavit B12	Cyanocobalamin (Vitamin B12)	Sublingual tablet	1 mg	In case of inadequate nutrition such as vegetarians in adults $\geq 18$ years of age
Vidrop®	Vitamin D3 (Cholecalciferol)	Oral drops	2800 I.U. /1 ml	Prevention and treatment of vitamin D deficiency in adults and children. As an adjuvant to specific therapy for osteoporosis in patients with vitamin D deficiency or at risk of vitamin D deficiency.
Davalindi 1000 I.U.	Vitamin D3 (Cholecalciferol)	Tablets	1000 I.U.	In adults in the following: Prevention and treatment of vitamin D deficiency in adults and adolescents. Vitamin D deficiency is defined as serum level of 25-hydroxycholecalciferol (25(OH)D) $< 25$ nmol / L. Specific osteoporosis treatment for patients who are at risk of vitamin D deficiency, preferably in combination with calcium.

Trade Name	Active	Dosage form	Strength	Approved Indication
Megalase	Bacterial Alpha Amylase	Film Coated Tablets	100 mg ( as 3000 CEIP unit)	Adjuvant Treatment and prophylaxis of edema in adults $\geq 18$ years in otorhinolaryngology situations: Rhinoplasties, tonsillectomies. Several interventions (sinusitis, laryngectomy, polypectomies, resection of the nasal septum. Tonsillitis, pharyngitis, laryngitis sinusitis, rhino tracheobronchitis
Maxilase	Alpha amylase	Syrup	20000 CEIP unit / 100 ml	Adjuvant Treatment and prophylaxis of edema in adults $\geq 18$ years, in the following indications: -Otorhinolaryngology. -Rhinoplasty, tonsillectomy . -Various interventions (Sinusitis, laryngectomy, nasal polypectomia, nasal septum resection) -Tonsillitis, Pharyngitis, sinusitis, laryngitis, Rhino trachea bronchitis. -In case of persistence or appearance of new symptoms (severe sore throat, headaches, nausea, vomiting) or in the case of associated fever ,therapeutic strategy must be reevaluated.
Top Ging	Green Tea Leaves Powder Extract /Garcinia Cambogia Fruit Powder Extract /Ginger Rhizome Powder Extract /Chromium Picolinate	Hard Gelatin Capsules	200 mg/150 mg/50 mg/80.45mcg	As in insert leaflet in adults $\geq 18$ years of age.
Orly 60 mg	Orlistat (micronized)	Hard gelatin capsules containing pellets	60 mg	As in Insert leaflet in adults $\geq 18$ years of age

Trade Name	Active	Dosage form	Strength	Approved Indication
Slim Safe	Orlistat	Hard Gelatin Capsules containing pellets	120 mg	As in insert leaflet in adults
Finshape	Orlistat	Hard Gelatin Capsules	120 mg	As in insert leaflet in adults $\geq$ 18 years of age
Quick – Slim	Orlistat	Hard Gelatin Capsules Containing Pellets	120 mg	As in Insert leaflet in adults $\geq$ 18 years of age
Chromax	Powdered Garcinia Hydroxy Citrate Extract / Chromium picolinate	Hard Gelatin Capsules	500 mg / 281.569 mcg	As in insert leaflet in adults $\geq$ 18 years
Agnucaston	Dry Extract from Agnus castus fruit	Film coated tablet	20 mg	As in insert leaflet in adults $\geq$ 18 years of age
Klimadynon®	Dry extract of Cimicifuga racemosa	Film coated tablet	2.8 mg	Indicated in female adults for the relief of menopausal complaints such as hot flushes and profuse sweating.
Strogenzo	Angelica gigas root extract powder /Cynachum wilfordii root extract powder/Phlomis umbrosa root extract powder /	Hard Gelatin Capsules	90 mg /83.5 mg/83.5 mg	As in insert leaflet
Tebofortin Intens	Ginko Biloba Leaves Extract	Film coated tablets	120 mg	As in insert leaflet in adults over 18 years of age
Nicorette® Fresh mint 2 mg	Nicotine	Chewing Gum	2 mg	As in insert leaflet in adults $\geq$ 18 years

Trade Name	Active	Dosage form	Strength	Approved Indication
Nicorette® Fresh mint 4 mg	Nicotine	Chewing Gum	4 mg	As in insert leaflet in adults $\geq$ 18 years
Nicorette Invisi 10 mg	Nicotine	Transdermal Patch	15.75 mg Delivered 10 mg nicotine / 16 hr.	As in insert leaflet in adults $\geq$ 18 years of age
Nicorette Invisi 15 mg	Nicotine	Transdermal Patch	23.62 mg Delivered 15 mg nicotine / 16 hr.	As in insert leaflet in adults $\geq$ 18 years of age.
Nicorette Invisi 25 mg	Nicotine	Transdermal Patch	39.37 mg Delivered 25 mg nicotine / 16 hr.	As in insert leaflet in adults $\geq$ 18 years of age
Nicorette Quickmist	Nicotine	Oro mucosal Spray, Solution	1 mg /spray	As in insert leaflet in adults $\geq$ 18 years of age
Alphintern	Trypsin / Chymotrypsin Mix	Enteric Coated Tablets	12 mg	Adjunctive Therapy in inflammatory conditions in adults $\geq$ 18 years of age
Maxilase	Alpha amylase	Syrup	20000 CEIP unit/100 ml	Adjuvant treatment of oropharyngeal inflammatory states (odynophagia, pharyngitis) in adults $\geq$ 18 years of age
Norpregna	Ulipristal Acetate	Tablets	30 mg	As in insert leaflet in adults $\geq$ 18 years of age
Daflon 500 mg	Diosmin 90%	Film Coated Tablets	450 mg	Indicated for treatment of Venous circulation disorders (heavy legs, pain, restless legs) and the treatment of functional symptoms related to acute hemorrhoidal attack in adults $\geq$ 18 years
Daflon 1000 mg	Diosmin 90%	Film Coated Tablets	900 mg	Indicated for treatment of Venous circulation disorders (heavy legs, pain, restless legs) and the treatment of functional symptoms related to acute hemorrhoidal attack in adults $\geq$ 18 years